
PG2-F
PORT GLASS - FABRIC WALL

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 1

PG2-F
PORT GLASS - FABRIC WALL

future automation

SPECIFICATION	MEASUREMENTS
Product Dimensions	581mm (22 7/8") W x 481mm (18 15/16") H x 101mm (4") D
Opening Size	400mm (15 3/4") W x 300mm (11 13/16") H
Glass Angle	9° between Panes, 4.5° from Vertical
Glass Thickness	1 x 4mm (3/16") Thick Pane | 1 x 6mm (1/4") Thick Pane
Glass Specification	Schott CONTURAN® Magic, Float Glass (Extra Clear) blue & green
Glass Luminous Reflectance (ρ vA)	ca. 0.9%


Glass Regular Spectral Relflectance (ρ (λ))


glass substrate, colour of antireflection coating	Wavelength in nm				
	475	510	550	660	730
Float glass (extra clear), blue	4%	1.7%	1%	0.8%	4%
Float glass (extra clear), green	4%	0.9%	1.7%	0.9%	4%

Glass Luminous Transmittance (τ vA)	4mm (3/16") Pane: 99% | 6mm (1/4") Pane: 98.5% | Combined: 97.5%
Product Weight	12Kg (27lbs)
Packaging Dimensions	TBC
Shipping Weight	TBC
Package Contents	Port Glass
Marine Suitable	Yes


PG2-F
PORT GLASS - FABRIC WALL

ACOUSTIC WALL OPTION





SECTION C-C



In-Fill Plate Finishes Available:
RAL 9005 - Black
RAL 9910 - White
Brushed
RAL Colour of choice


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 3

PG2-F
PORT GLASS - FABRIC WALL

ACOUSTIC WALL INSTALL


1. Frame and finish wall for PG
2. Install PG MDF Wall Cassette
3. Install Acoustic Wall. Extrusion can fix directly to Wall Cassette.
4. Install PG Lens Frame
5. Place Magnetic Infill plate into MDF Cassette




UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

PG2-F
PORT GLASS - FABRIC WALL

GENERAL DIMENSIONS





UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 003
SHEET 5