
PG2-P
PORT GLASS - PLASTER WALL

future automation



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 1

PG2-P
PORT GLASS - PLASTER WALL

future automation

SPECIFICATION	MEASUREMENTS
Product Dimensions	545mm (21 7/8") W x 445mm (17 1/2") H x 101mm (4") D
Opening Size	400mm (15 3/4") W x 300mm (11 13/16") H
Glass Angle	9° between Panes, 4.5° from Vertical
Glass Thickness	1 x 4mm (3/16") Thick Pane | 1 x 6mm (1/4") Thick Pane
Glass Specification	Schott CONTURAN® Magic, Float Glass (Extra Clear) blue & green
Glass Luminous Reflectance (ρ vA)	ca. 0.9%


Glass Regular Spectral Relflectance (ρ (λ))


glass substrate, colour of antireflection coating	Wavelength in nm				
	475	510	550	660	730
Float glass (extra clear), blue	4%	1.7%	1%	0.8%	4%
Float glass (extra clear), green	4%	0.9%	1.7%	0.9%	4%

Glass Luminous Transmittance (τ vA)	4mm (3/16") Pane: 99% | 6mm (1/4") Pane: 98.5% | Combined: 97.5%
Product Weight	11Kg (24lbs)
Packaging Dimensions	TBC
Shipping Weight	TBC
Package Contents	Port Glass
Marine Suitable	Yes


PG2-P
PORT GLASS - PLASTER WALL


FLUSH WALL OPTION





SECTION A-A





DETAIL B

In-Fill Plate Finishes Available:
RAL 9005 - Black
RAL 9910 - White
Brushed
RAL Colour of choice


UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 3

PG2-P
PORT GLASS - PLASTER WALL

FLUSH WALL INSTALL

1. Frame wall for PG
2. Install PG MDF Wall Cassette
3. Plasterboard up to edge of Wall Cassette
4. Plaster/Mud and finish wall
5. Install PG Lens Frame
6. Place Magnetic Infill plate into MDF Cassette



UK +44 (0) 1438 833577 **US** +1 (603) 742 9181
www.**FUTUREAUTOMATION**.NET

TECHNICAL SHEET
ISSUE 002
SHEET 4